

HPE Aruba Networking 560 Series Outdoor Access Points

HPE Aruba Networking AP-565 (RW) 802.11ax Dual 2x2 Radio Integrated Omni Antennas Outdoor AP (R4W43A)



What's new

- Entry-level outdoor Wi-Fi 6 (802.11ax)
 access points that provide up to 1.49 Gbps
 maximum aggregate data rate and are
 ideal for outdoor and warehouse
 environments.
- Purpose-built to survive in the harshest outdoor environments and extreme temperatures (-40°C to +65°C).
- Internet of Things (IoT)-ready with a builtin Bluetooth 5 and 802.15.4 radio that

Overview

The HPE Aruba Networking 560 Series Outdoor Access Points provide cost-effective Wi-Fi 6 wireless connectivity in outdoor and environmentally challenging locations. With Wi-Fi 6 capabilities, Bluetooth 5 and 802.15.4/Zigbee radios, and maximum aggregate data rate of 1.49 Gbps, the 560 series delivers the speed and reliability needed to bring medium-density Wi-Fi 6 outdoors.

These Wi-Fi 6 outdoor APs are ready to survive high wind, extreme temperatures, and moisture and can be quickly deployed using Zero Touch Provisioning. HPE Aruba Networking Central provides a single pane of glass for overseeing wired and wireless LANs, WANs, and VPNs.



Data sheet Page 2

supports Zigbee.

- Small form factor for flexible deployment.
- Client and RF optimization to match clients with the best available access point and reduce coverage gaps.
- Dynamic Segmentation and policy enforcement firewalls (PEF) that automatically enforces consistent policies across all networks, keeping users and devices secure

Alpowered analytics, endtoend orchestration and automation, and advanced security features are built natively into the solution. The 560 series outdoor APs include a limited lifetime warranty.

Features

Entry-level Outdoor Wi-Fi 6

HPE Aruba Networking 560 Series Outdoor Access Points are ideal for environmentally challenging locations and can endure extreme temperatures, persistent moisture, precipitation, airborne contaminants, dust, salt sprays, and maximum 165 mph wind speeds.

Weatherproof and temperature hardened, this series can handle temperatures ranging from -40° C to $+65^{\circ}$ C, including full solar loading.

With maximum aggregate data rate of 1.49 Gbps (HE80/HE20), the series delivers the speed and reliability needed for most environments.

It supports features such as orthogonal frequency-division multiple access (OFDMA), downlink MIMO (MU-MIMO), and target wait time (TWT).

Enhanced wireless experience with HPE Aruba Networking ClientMatch technology removes sticky client issues by steering a client to the AP where it receives one of the best radio signals.

IoT Ready

HPE Aruba Networking 560 Series Outdoor Access Points can serve as IoT platforms that bolster network security and provide coverage for a range of IoT devices without the need for network overlays.

The AP supports Bluetooth 5 and Zigbee wireless protocols through an integrated \mbox{IoT} radio.

The target wake time (TWT) improves battery life of IoT devices.

HPE Aruba Networking Central Client Insights uses deep packet inspection to provide additional context and behavioral information that help verify devices are receiving proper policy enforcement and continuously monitor for rogue devices.

Simple Access With Enhanced Security

The HPE Aruba Networking 560 Series Outdoor Access Points offer enhanced security with Dynamic Segmentation to remove the time-consuming and errorprone task of managing complex and static VLANs, ACLs, and subnets by dynamically assigning policies and keeping traffic protected and separated.

It offers stronger encryption and authentication with WPA3, protected credentials/keys storage for guest access with Enhanced Open, and user and IoT access policy enforcement firewalls...

The AP simplifies policy enforcement by using the policy enforcement firewall to encapsulate all traffic from the AP to the gateway (or mobility controller) for end-to-end encryption and inspection.

For enhanced device assurance, the access points include an installed Trusted Platform Module (TPM) for protected storage of credentials and keys, and boot code.

Data sheet Page 3

Technical specifications

HPE Aruba Networking AP-565 (RW) 802.11ax Dual 2x2 Radio Integrated Omni Antennas Outdoor AP

Product Number	R4W43A
Differentiator	Built-in Omni Directional Antennas 5 GHz Antennas 5.4 dBi
	2.4 GHz Antennas 3.2 dBi
	BLE/802.15.4 Antennas 3.3 dBi
	Available everywhere except US, Israel, Japan and Egypt
Certifications	CB Scheme Safety, cTUVus
	UL2043 plenum rating
	Wi-Fi Alliance certified 802.11a/b/g/n/ Wi-Fi Alliance certified Wi-Fi 6 (802.11ax)
	Wi-Fi CERTIFIED™ ac (with wave 2 features)
	Passpoint® (Release 2) with HPE Aruba Networking Wireless Operating System and
	Instant 8.3+ Wi-Fi CERTIFIED Location™
	WITTCENTIFIED ESCATION
Regulatory	FCC/ISED
	CE Marked RED Directive 2014/53/EU
	EMC Directive 2014/30/EU
	Low Voltage Directive 2014/35/EU
	IEC/EN/UL 62368-1
	EN 60601-1-1, EN60601-1-2 Railway Certs:
	EN 50155:2017-Railway Applications
	EN 50121-1:2017-Railway EMC
	EN 50121-3-2-Railway EMC
	EN 50121-4:2016-Railway Immunity IEC 61373 ed2:2008-Railway Shock and Vibration
Wi-Fi antenna	Built-in omni-directional antennas with 5.4 dBi gain, max, for 5 GHz antennas and
	3.2 dBi gain, max, for 2.4 GHz antennas
Connectivity, standard	Bluetooth 5 and 802.15.4 radio
	2.4 GHz-Bluetooth 5: up to 8 dBm transmit power and -95 dBm receive sensitivity
	Zigbee: up to 8 dBm transmit power and -97 dBm receive sensitivity
	Up to 4 dBm transmit power (class 2) and -91 dBm receive sensitivity
Ports	E0: 10/100/1000BASE-T (RJ-45)
Power consumption	Maximum (worst-case) power consumption: 15.6W
	Maximum (worst case) power consumption in idle mode: 4.2W
	Maximum (worst case) power consumption in deep-sleep mode: 1.7 Power sources sold separately
	Power Sources sold separately
Radio coverage	AP type: Outdoor Hardened, Wi-Fi 6 dual radio, 5 GHz 2x2 MIMO and 2.4 GHz 2x2
	MIMO
	Software-configurable dual radio supports 5 GHz (Radio 0) and 2.4 GHz (Radio 1)
Warranty	Limited lifetime warranty
Product dimensions	11 x 16.5 x 16.5 cm
Weight	1.03 kg



Data sheet Page 4

For additional technical information, available models and options, please reference the QuickSpecs

HPE Aruba Networking Services

HPE Aruba Networking services simplify and accelerate the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies, or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what HPE Services -Aruba Networking has to offer at: https://www.hpe.com/edge/services

Support Services

Our support portfolio provides the essential support elements as well as proactive and preventive features to help you improve your team's productivity and get the most from your network. Our support customers benefit from faster issue resolution, simplified operations and efficiencies, and reduced network issues.

Professional Services

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from HPE Aruba Networking technology.

Project based services include: **Annual subscription services include:**

- Planning, audit, and assessment Network optimization
- Architecture review and design •
- Intelligent Operations
- Deployment, migration, and knowledge transfer
- Customer Experience Management

Our Education Services allow your team to come up to speed quickly.


HPE GreenLake for Networking

Our NaaS solution, is part of the HPE GreenLake services family, and simplifies network operations, accelerates equipment handling, and increases the value of your HPE Aruba Networking solution. If you need expert guidance and automation-based operations for your team, please explore our NaaS approach through HPE GreenLake for Networking.

Visit HPE.com



Make the right purchase decision. Contact our presales specialists.





Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services

Image may differ from the actual product PSN1013054824WWEN, March, 2025.

