

# HPE Aruba Networking ClearPass Policy Manager



## Key features

- Role-based, unified network access enforcement across multivendor wireless, wired, and VPN networks
- Intuitive policy configuration templates and visibility troubleshooting tools
- Supports multiple authentication/authorization sources (AD, LDAP, SQL)
- Self-service device onboarding with built-in certificate authority (CA) for bring your own device (BYOD)
- Guest access with extensive customization, branding, and sponsor-based approvals

HPE Aruba Networking ClearPass Policy Manager, part of the HPE Aruba Networking 360 Secure Fabric, provides role- and device-based secure network access control for Internet of Things (IoT), BYOD, corporate devices, as well as employees, contractors, and guests across any multivendor wired, wireless and VPN infrastructure.

With a built-in context-based policy engine, Remote Authentication Dial-In User Service (RADIUS), TACACS+, non-RADIUS enforcement using HPE Aruba Networking ClearPass OnConnect, device profiling, posture assessment, onboarding, and guest access options, HPE Aruba Networking ClearPass is unrivaled as a foundation for network security for organizations of any size.

For comprehensive integrated security coverage and response using firewalls, unified endpoint management (UEM), and other existing solutions, HPE Aruba Networking ClearPass supports the HPE Aruba Networking 360 Security Exchange program. This allows for

automated threat detection and response workflows that integrate with third-party security vendors and IT systems previously requiring manual IT intervention.

In addition, HPE Aruba Networking ClearPass supports secure self-service capabilities, making it easier for end users trying to access the network. Users can securely configure their own devices for enterprise use or internet access based on admin policy controls.

The result is detailed visibility of all wired and wireless devices connecting to the enterprise, increased control through simplified and automated authentication or authorization of devices, and faster, better incident analysis and response through the integration and orchestration with third-party security solutions. This is achieved with a comprehensive and scalable policy management platform that goes beyond traditional AAA solutions to deliver extensive enforcement capabilities for IT-owned and BYOD security requirements.

**Key features (continued)**

- Integration with key UEM solutions for in-depth device assessments
- Comprehensive integration with the HPE Aruba Networking 360 Security Exchange program
- Single sign-on (SSO) support works with Ping, Okta, and other identity management tools to improve user experience with SAML 2.0-based applications
- FIPS 140-2 and CC certified

## The HPE Aruba Networking ClearPass difference

HPE Aruba Networking ClearPass is the only policy platform that centrally enforces all aspects of enterprise-grade access security for any industry. Granular policy enforcement is based on a user's role, device type and role, authentication method, UEM attributes, device health, traffic patterns, location, and time of day.

Deployment scalability supports tens of thousands of devices and authentications which surpasses the capabilities offered by legacy AAA solutions. Options exist for small to large organizations, from centralized to distributed environments.

## Advanced policy management

### Enforcement and visibility for wired and wireless

With HPE Aruba Networking ClearPass, organizations can deploy wired or wireless using standards-based 802.1X enforcement for secure authentication. HPE Aruba Networking ClearPass also supports MAC address authentication for IoT and headless devices that may lack support for 802.1X. For wired environments where RADIUS-based authentication cannot be deployed, HPE Aruba Networking ClearPass OnConnect offers an alternative using Simple Network Management Protocol (SNMP)-based enforcement.

HPE Aruba Networking ClearPass Device Insight provides next-generation profiling capabilities to HPE Aruba Networking ClearPass Policy Manager through a cloud-based machine learning algorithm that also leverages deep packet inspection support.

Authentication methods can be used to concurrently support a variety of use cases. It also includes support for multifactor authentication based on login times, posture checks, and other contexts such as new user, new device, and more.

Attributes from multiple identity stores such as Microsoft Active Directory, LDAP-compliant directories, ODBC-compliant SQL databases, token servers, and internal databases across domains can be used within a single policy for fine-grained control.

Contextual data from these profiled devices allows IT to define what devices can access either the wired, VPN, or wireless network. Device profile changes are dynamically used to modify authorization privileges. For example, if a Windows laptop appears as a printer, HPE Aruba Networking ClearPass policies can automatically deny access.

### Secure device configuration of personal devices

HPE Aruba Networking ClearPass Onboard provides automated provisioning of any Windows, macOS, iOS, Android™, Chromebook™, and Ubuntu devices through a user-driven self-guided portal. Network details, security settings, and unique device identity certificates are automatically configured on authorized devices. Cloud identity services such as Microsoft Azure Active Directory, Google™ G Suite, and Okta can also be leveraged as identity providers with HPE Aruba Networking ClearPass Onboard for secure certificate enrollment.

### Device health checks

HPE Aruba Networking ClearPass OnGuard delivers endpoint posture assessments over wireless, wired, and VPN connections. HPE Aruba Networking ClearPass OnGuard health check capabilities help ensure endpoints meet security and compliance policies before they connect to the network. HPE Aruba Networking ClearPass OnGuard offers a variety of flexible deployment options including agentless, dissolvable agents, and agent-based configuration.

### Customizable visitor management

HPE Aruba Networking ClearPass Guest simplifies visitor workflow processes to enable employees, receptionists, and other non-IT staff to create temporary guest accounts for secure wireless and wired access. Highly customizable, mobile-friendly portals provide easy-to-use login processes that include self-registration, sponsor approval, and bulk credential creation support for any visitor needs — enterprise, retail, education, large public venue. Credentials can be delivered by SMS, email, printed badges, or input directly through cloud identity providers such as Facebook or Twitter.

Built-in support for commercial-oriented guest Wi-Fi hotspots with credit card billing and third-party advertising-driven workflows make it simple to integrate into a wide variety of environments.

## HPE Aruba Networking 360 Security Exchange program

### Integrate with security and workflow systems

Support for the HPE Aruba Networking 360 Security Exchange program is an integrated component of HPE Aruba Networking ClearPass. Using features such as REST-based application programming interfaces (APIs), RADIUS accounting proxy, and Syslog ingestion help facilitate workflows with UEM, security information and event management (SIEM), firewalls, help desk systems, and more. Context is shared between each component for end-to-end policy enforcement and visibility.

The HPE Aruba Networking ClearPass Ingress Event Engine provides third-party systems with the means to share information in real time using Syslog. This enables HPE Aruba Networking ClearPass to respond to changing threats for users and devices after they have authenticated to the network.

By utilizing an open dictionary approach, anyone can write a parsing ruleset without the need for costly add-ons or locked in third-party ecosystems.

### Advanced reporting and alerting

HPE Aruba Networking ClearPass Device Insight provides advanced reporting capabilities through customizable reports. Information about authentication trends, profiled devices, guest data, onboarded devices, and endpoint health can also be viewed in an easy-to-use dashboard. HPE Aruba Networking ClearPass Device Insight also has support for granular alerts and a watchlist to monitor specific authentication failures.

### HPE Aruba Networking Central NetConductor

For networks managed by HPE Aruba Networking Central, HPE Aruba Networking Central NetConductor offers cloud-native security services that enable global policy management and network configuration with simple business logic interfaces and workflows. HPE Aruba Networking Central

NetConductor uses a distributed EVPN/VXLAN network overlay to facilitate inline policy enforcement across large, globally dispersed networks.

Networks that use HPE Aruba Networking Central NetConductor for policy orchestration can choose either HPE Aruba Networking Client Insights or HPE Aruba Networking ClearPass for authentication and role assignment. To learn more, read the [solution overview](#).

## Specifications

### Appliances

HPE Aruba Networking ClearPass is available as hardware or as a virtual appliance. Virtual appliances are supported on VMware vSphere® Hypervisor (VMware ESXi™), Microsoft Hyper-V, CentOS KVM, Amazon EC2, and Microsoft Azure.

- VMware ESXi up to 8.0
- Microsoft Hyper-V 2016/2019 R2/2019
- KVM on CentOS 7.7, Ubuntu 18.04 and Ubuntu 20.04
- Amazon AWS (EC2)
- Microsoft Azure

### Platform

- Deployment templates for any network type, identity store, and endpoint
- 802.1X, MAC authentication, and captive portal support
- HPE Aruba Networking ClearPass OnConnect for SNMP-based enforcement on wired switches
- Advanced reporting, analytics, and troubleshooting tools
- Interactive policy simulation and monitor mode utilities
- Multiple device registration portals — Guest, HPE Aruba Networking AirGroup, BYOD, and unmanaged devices
- Admin/operator access security through CAC and TLS certificates

### Framework and protocol support

- RADIUS, RADIUS dynamic authorization, TACACS+, web authentication, SAML v2.0
- RadSec (TLS encoded RADIUS)
- 802.1X-2010, 802.1X-2020



- Tunneled EAP (TEAP)
- EAP-FAST (EAP-MSCHAPv2, EAP-GTC, EAP-TLS)
- PEAP (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-PEAP-Public, EAP-PWD)
- TTLS (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-MD5, PAP, CHAP)
- EAP-TLS
- PAP, CHAP, MSCHAPv1, MSCHAPv2, EAP-MD5
- OAuth2.0
- WPA3
- Windows machine authentication
- SMB v2/v3
- Online Certificate Status Protocol (OCSP)
- SNMP generic MIB, SNMP private MIB
- Common Event Format (CEF), Log Event Extended Format (LEEF), and RFC5424

#### Supported identity stores

- Microsoft Active Directory
- RADIUS
- Any LDAP-compliant directory
- MySQL, Microsoft SQL, PostgreSQL, and Oracle® 11g ODBC-compliant SQL Server
- Token servers
- Built-in SQL store, static hosts list
- Kerberos
- Microsoft Azure Active Directory
- Google G Suite

#### RFC standards

2246, 2248, 2407, 2408, 2409, 2548, 2759, 2865, 2866, 2869, 2882, 3079, 3579, 3580, 3748, 3779, 4017, 4137, 4301, 4302, 4303, 4308, 4346, 4514, 4518, 4809, 4849, 4851, 4945, 5176, 5216, 5246, 5280, 5281, 5282, 5424, 5755, 5759, 6614, 6818, 6960, 7030, 7170, 7296, 7321, 7468, 7748, 7815, 8031, 8032, 8247, 8446, 8709, 8894, 8908

#### Internet drafts

Protected EAP Versions 0 and 1, Microsoft CHAP extensions, dynamic provisioning using EAP-FAST

#### Profiling methods

- Active: Network Mapper (Nmap), Windows Management Instrumentation (WMI), Secure Shell (SSH), SNMP
- Passive: MAC OUI, DHCP, TCP, NetFlow v5/v10, IPFIX, sFlow®, SPAN Port, HTTP User-Agent, IF-MAP
- HPE Aruba Networking ClearPass Device Insight
- Integrated and third party: HPE Aruba Networking ClearPass Onboard, HPE Aruba Networking ClearPass OnGuard, HPE Aruba Networking Operating System, enterprise mobility management (EMM) / mobile device management (MDM), Cisco device sensor

#### IPv6 support

- RADIUS and RadSec
- TACACS+
- Clustering (intranode communication)
- Web and CLI-based management
- IPv6 addressed authentication and authorization servers
- IPv6 accounting proxy
- IPv6 addressed endpoint context servers
- Syslog, domain name system (DNS), Network Time Protocol (NTP), IPSec IPv6 targets
- IPv6 virtual IP for high availability
- HTTP Proxy
- Ingress Event Engine Syslog sources
- HPE Aruba Networking ClearPass Onboard, HPE Aruba Networking ClearPass OnGuard

#### Certifications

- [FIPS 140-2 level 1 certificate 4473](#)
- Common Criteria NDCPPv2.2e
- [NIAP Common Criteria NDCPPv2.1+AUTHSVR 1.0 VID 11324](#)
- IPv6 Ready (including USGv6 r-1)



## Technical specifications

**Table 1.** Technical specification for HPE Aruba Networking ClearPass SKUs

	C1000 Appliance (JZ508A)	C2020 Appliance (R1V83A)	C3010 Appliance (R1V82A)
Appliance specifications			
Hardware model	Unicom S-1200 R4	HPE DL360 Gen10	HPE DL360 Gen10
CPU	(1) Atom 2.4 GHz C2758 with 8 Cores (8 Threads)	(1) Xeon 2.3 GHz Gold 5118 with 12 Cores (12 Threads)	(1) Xeon 2.3 GHz Gold 5118 with 12 Cores (24 Threads)
Memory	8 GB	16 GB	64 GB
Hard drive storage	(1) SATA (7.3K RPM) 1 TB hard drive	(2) SATA (7.2K RPM) 1 TB hard drives, RAID-1 controller	(6) SAS (10K RPM) 600 GB Hot-Plug hard drives RAID-10 controller
Out-of-band management	n/a	HPE iLO Advanced	HPE iLO Advanced
Network interfaces	4 x 1GbE	4 x 1GbE	4 x 1GbE
Serial port	Yes (RJ-45)	Yes (DB-9)	Yes (DB-9)
Performance and scale	Refer to the <a href="#">HPE Aruba Networking ClearPass scaling and ordering guide</a>		
Minimum software version	HPE Aruba Networking ClearPass Policy Manager 6.6	HPE Aruba Networking ClearPass Policy Manager 6.11	HPE Aruba Networking ClearPass Policy Manager 6.7
Form factor			
Rackmount	Included	Included	Included
Dimensions (WxHxD)	17.2" x 1.7" x 11.3"	17.1" x 1.7" x 27.8"	17.1" x 1.7" x 27.8"
Weight (maximum configuration)	8.5 lb	Up to 36 lb	Up to 36 lb
Power			
Power supply	200 watts maximum	HPE 500W Flex Slot Platinum Hot plug power supply	HPE 500W Flex Slot Platinum hot plug power supply
Power cord	C13-NEMA 5-15P US/CA 110V 10 amp power cord	C13-C14 WW 250V 10 amp jumper cord	C13-C14 WW 250V 10 amp jumper cord
Power redundancy	n/a	Optional	Optional
AC input voltage	100/240 VAC auto-selecting		
AC input frequency	50/60 Hz auto-selecting		
Environmental			
Operating temperature	5° C to 35° C (41° F to 95°F)	10° to 35°C (50° to 95°F)	10° C to 35° C (50° F to 95° F)
Operating vibration	0.25 G at 5 Hz to 200 Hz for 15 minutes	Random vibration at 0.000075 G2/ Hz, 10 Hz to 300 Hz, (0.15 G's nominal)	Random vibration at 0.000075 G2/ Hz, 10 Hz to 300 Hz, (0.15 G's nominal)
Operating shock	1 shock pulse of 20 G for up to 2.5 ms	2 G	2 G
Operating altitude	–16 m to 3048 m (–50 ft to 10,000 ft)	3050 m (10,000 ft)	3050 m (10,000 ft)



## Technical specifications

**Table 1.** Technical specification for HPE Aruba Networking ClearPass SKUs (continued)

	N3000 Appliance (S3N66A)	N3001 Appliance (S3N65A)	N1000 Appliance (S3N67A)
Appliance specifications			
Hardware model	HPE ProLiant DL325 Gen11 Server	HPE ProLiant DL325 Gen11 Server	Advantech FWA-2012
CPU	AMD EPYC 9124 with 16 cores (32 threads)	AMD EPYC 9124 with 16 cores (32 threads)	Intel Atom® C3758R with 8 cores (8 threads)
Memory	128 GB	128 GB	16 GB
Hard drive storage	(3) SSD (960 GB SATA) RAID-5 controller	(3) SSD (960 GB SATA) RAID-5 controller	(1) SSD (1 TB) M.2
Out-of-band management	HPE iLO Advanced	HPE iLO Advanced	n/a
Network interfaces	4 x 1GbE	4 x 10/25GbE SPF28	4 x 1GbE
Serial port	Yes (DB-9)	Yes (DB-9)	Yes (RJ-45)*
Performance and scale	Refer to the <a href="#">HPE Aruba Networking ClearPass scaling and ordering guide</a>		
Minimum software version	HPE Aruba Networking ClearPass Policy Manager 6.11	HPE Aruba Networking ClearPass Policy Manager 6.11	HPE Aruba Networking ClearPass Policy Manager 6.11
Form factor			
Rackmount	Included	Included	Included (mounting ears)
Dimensions (WxHxD)	17.1" x 1.7" x 25.6"	17.1" x 1.7" x 25.6"	19" x 1.7" x 12.6"
Weight (maximum configuration)	Up to 34.5 lb	Up to 34.5 lb	Up to 14.5 lb
Power			
Power supply	(2) HPE 1000W Flex Slot Titanium hot plug power supply	(2) HPE 1000W Flex Slot Titanium hot plug power supply	(1) 150W
Power cord	(2) C13-C14 WW 250V 10A jumper cord	(2) C13-C14 WW 250V 10A jumper cord	(1) C13-C14 WW 250V 10A jumper cord
Power redundancy	Included	Included	n/a
AC input voltage	100/240 VAC auto-selecting		
AC input frequency	50/60 Hz auto-selecting		
Environmental			
Operating temperature	10° to 35°C (50° to 95°F)	10° to 35°C (50° to 95°F)	10° to 35°C (50° to 95°F)
Operating vibration	Random vibration at 0.000075 G/Hz, 10 Hz to 300 Hz (0.15 G's nominal)	Random vibration at 0.000075 G/Hz, 10 Hz to 300 Hz (0.15 G's nominal)	0.5 Grms, 5-500 Hz, 1hr/axis
Operating shock	2 G's	2 G's	1.5 G's
Operating altitude	3050 m (10,000 ft)	3050 m (10,000 ft)	3050 m (10,000 ft)

\* Note: Transceivers not included. The N1000 does not include integrated video, only serial interface is supported.

## Ordering guidance

Refer to the [HPE Aruba Networking ClearPass Policy Manager scaling and ordering guide](#) for detailed information on appropriate sizing and required licensing to deploy HPE Aruba Networking ClearPass. More information can be found on the [HPE Networking support portal](#).



## Ordering information

**Table 2.** HPE Aruba Networking ClearPass ordering information

Part number	Description
<b>Hardware appliances</b>	
<b>JZ508A</b>	HPE Aruba Networking ClearPass C1000 S-1200 R4 HW-based appliance
<b>S3N65A</b>	HPE Aruba Networking ClearPass N3001 10G SFP+ hardware appliance
<b>S3N66A</b>	HPE Aruba Networking ClearPass N3000 1G hardware appliance
<b>S3N67A</b>	HPE Aruba Networking ClearPass N1000 1G hardware appliance
<b>R1V83A</b>	HPE Aruba Networking ClearPass C2020 DL360 Gen10 HW-based appliance
<b>R1V82A</b>	HPE Aruba Networking ClearPass C3010 DL360 Gen10 HW-based appliance
<b>Virtual appliances</b>	
<b>JZ399AAE</b>	HPE Aruba Networking ClearPass Cx000V VM-based appliance E-LTU
<b>Power supplies</b>	
<b>R1T38A</b>	HPE Aruba Networking DL360 Gen10 500W spare power supply (for use with R1V82A and R1V83A)
<b>Accessories</b>	
<b>S3N61A</b>	HPE Aruba Networking ClearPass N3000x warm spare SSD
<b>S3N62A</b>	HPE Aruba Networking ClearPass N1000 cold spare SSD
<b>Warranty information</b>	
<b>Hardware warranty</b>	One-year parts*
<b>Software warranty</b>	90 days*
<b>Perpetual software license warranty</b>	90 days*
<b>Perpetual licenses</b>	
<b>JZ400AAE</b>	HPE Aruba Networking ClearPass Access License 100 Concurrent Endpoints E-LTU
<b>JZ401AAE</b>	HPE Aruba Networking ClearPass Access License 500 Concurrent Endpoints E-LTU
<b>JZ402AAE</b>	HPE Aruba Networking ClearPass Access License 1K Concurrent Endpoints E-LTU
<b>JZ403AAE</b>	HPE Aruba Networking ClearPass Access License 2500 Concurrent Endpoints E-LTU
<b>JZ404AAE</b>	HPE Aruba Networking ClearPass Access License 5K Concurrent Endpoints E-LTU
<b>JZ405AAE</b>	HPE Aruba Networking ClearPass Access License 10K Concurrent Endpoints E-LTU
<b>JZ406AAE</b>	HPE Aruba Networking ClearPass Access License 25K Concurrent Endpoints E-LTU
<b>JZ407AAE</b>	HPE Aruba Networking ClearPass Access License 50K Concurrent Endpoints E-LTU
<b>JZ408AAE</b>	HPE Aruba Networking ClearPass Access License 100K Concurrent Endpoints E-LTU
<b>R1U35AAE</b>	HPE Aruba Networking ClearPass Entry License 100 Concurrent Endpoints E-LTU
<b>R1U36AAE</b>	HPE Aruba Networking ClearPass Entry License 500 Concurrent Endpoints E-LTU
<b>R1U37AAE</b>	HPE Aruba Networking ClearPass Entry License 1K Concurrent Endpoints E-LTU
<b>R1U38AAE</b>	HPE Aruba Networking ClearPass Entry License 2500 Concurrent Endpoints E-LTU
<b>R1U39AAE</b>	HPE Aruba Networking ClearPass Entry License 5K Concurrent Endpoints E-LTU
<b>R1U40AAE</b>	HPE Aruba Networking ClearPass Entry License 10K Concurrent Endpoints E-LTU
<b>R1U41AAE</b>	HPE Aruba Networking ClearPass Entry License 25K Concurrent Endpoints E-LTU
<b>R1U42AAE</b>	HPE Aruba Networking ClearPass Entry License 50K Concurrent Endpoints E-LTU
<b>R1U43AAE</b>	HPE Aruba Networking ClearPass Entry License 100K Concurrent Endpoints E-LTU
<b>R1U44AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 100 Concurrent Endpoints E-LTU

\* Extended with support contract





## Ordering information

**Table 2.** HPE Aruba Networking ClearPass ordering information (continued)

Part number	Description
<b>Perpetual licenses</b>	
<b>R1U45AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 500 Concurrent Endpoints E-LTU
<b>R1U46AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 1K Concurrent Endpoints E-LTU
<b>R1U47AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 2500 Concurrent Endpoints E-LTU
<b>R1U48AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 5K Concurrent Endpoints E-LTU
<b>R1U49AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 10K Concurrent Endpoints E-LTU
<b>R1U50AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 25K Concurrent Endpoints E-LTU
<b>R1U51AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 50K Concurrent Endpoints E-LTU
<b>R1U52AAE</b>	HPE Aruba Networking ClearPass Access Upgrade License 100K Concurrent Endpoints E-LTU
<b>Subscription licenses (one year)</b>	
<b>JZ409AAE</b>	HPE Aruba Networking ClearPass Access License 100 Concurrent Endpoints 1-year subscription E-STU
<b>JZ410AAE</b>	HPE Aruba Networking ClearPass Access License 500 Concurrent Endpoints 1-year subscription E-STU
<b>JZ411AAE</b>	HPE Aruba Networking ClearPass Access License 1K Concurrent Endpoints 1-year subscription E-STU
<b>JZ412AAE</b>	HPE Aruba Networking ClearPass Access License 2500 Concurrent Endpoints 1-year subscription E-STU
<b>JZ413AAE</b>	HPE Aruba Networking ClearPass Access License 5K Concurrent Endpoints 1-year subscription E-STU
<b>JZ414AAE</b>	HPE Aruba Networking ClearPass Access License 10K Concurrent Endpoints 1-year subscription E-STU
<b>JZ415AAE</b>	HPE Aruba Networking ClearPass Access License 25K Concurrent Endpoints 1-year subscription E-STU
<b>JZ416AAE</b>	HPE Aruba Networking ClearPass Access License 50K Concurrent Endpoints 1-year subscription E-STU
<b>JZ417AAE</b>	HPE Aruba Networking ClearPass Access License 100K Concurrent Endpoints 1-year subscription E-STU
<b>Subscription licenses (three years)</b>	
<b>JZ418AAE</b>	HPE Aruba Networking ClearPass Access License 100 Concurrent Endpoints 3-year subscription E-STU
<b>JZ419AAE</b>	HPE Aruba Networking ClearPass Access License 500 Concurrent Endpoints 3-year subscription E-STU
<b>JZ420AAE</b>	HPE Aruba Networking ClearPass Access License 1K Concurrent Endpoints 3-year subscription E-STU
<b>JZ421AAE</b>	HPE Aruba Networking ClearPass Access License 2500 Concurrent Endpoints 3-year subscription E-STU
<b>JZ422AAE</b>	HPE Aruba Networking ClearPass Access License 5K Concurrent Endpoints 3-year subscription E-STU
<b>JZ423AAE</b>	HPE Aruba Networking ClearPass Access License 10K Concurrent Endpoints 3-year subscription E-STU
<b>JZ424AAE</b>	HPE Aruba Networking ClearPass Access License 25K Concurrent Endpoints 3-year subscription E-STU
<b>JZ425AAE</b>	HPE Aruba Networking ClearPass Access License 50K Concurrent Endpoints 3-year subscription E-STU
<b>JZ426AAE</b>	HPE Aruba Networking ClearPass Access License 100K Concurrent Endpoints 3-year subscription E-STU
<b>Subscription licenses (five years)</b>	
<b>JZ427AAE</b>	HPE Aruba Networking ClearPass Access License 100 Concurrent Endpoints 5-year subscription E-STU
<b>JZ428AAE</b>	HPE Aruba Networking ClearPass Access License 500 Concurrent Endpoints 5-year subscription E-STU
<b>JZ429AAE</b>	HPE Aruba Networking ClearPass Access License 1K Concurrent Endpoints 5-year subscription E-STU
<b>JZ430AAE</b>	HPE Aruba Networking ClearPass Access License 2500 Concurrent Endpoints 5-year subscription E-STU
<b>JZ431AAE</b>	HPE Aruba Networking ClearPass Access License 5K Concurrent Endpoints 5-year subscription E-STU
<b>JZ432AAE</b>	HPE Aruba Networking ClearPass Access License 10K Concurrent Endpoints 5-year subscription E-STU
<b>JZ433AAE</b>	HPE Aruba Networking ClearPass Access License 25K Concurrent Endpoints 5-year subscription E-STU
<b>JZ434AAE</b>	HPE Aruba Networking ClearPass Access License 50K Concurrent Endpoints 5-year subscription E-STU
<b>JZ435AAE</b>	HPE Aruba Networking ClearPass Access License 100K Concurrent Endpoints 5-year subscription E-STU





Ordering information


Table 2. HPE Aruba Networking ClearPass ordering information (continued)

Part number	Description
Customized guest portal	
H30SYA1	HPE Aruba Networking ClearPass Guest Custom Skin E-LTU
Expandable application software	
HPE Aruba Networking ClearPass Onboard — device configuration and certificate management	Refer to the <a href="#">HPE Aruba Networking ClearPass Onboard data sheet</a>
HPE Aruba Networking ClearPass OnGuard — endpoint device health	Refer to the <a href="#">HPE Aruba Networking ClearPass OnGuard data sheet</a>

Learn more at

[HPE.com/us/en/Aruba-Clearpass-Policy-Manager.html](https://HPE.com/us/en/Aruba-Clearpass-Policy-Manager.html)

Visit **HPE.com**

 **Chat now (sales)**